



**LA
FABBRICA
AVA**
EXTRAORDINARY TILES

CATALOGO
MERCHANSIDING
CERSAIE

20
24



INDICE
MERCHANDISING
Index merchandising

DEEP STONE

I MARMI 2024

VELARIS

GROOVES

KIST - KIST LUX

AVASTONE



**LA
FABBRICA
AVA**

EXTRAORDINARY TILES

COLLEZIONI
Collection



F99101

3 €


CATALOGO
CERSAIE 2024

DEEP STONE

LAFABBRICA AVAMERCHANDISING2024



CATALOGO
CATALOG



FDPS00

1,6 €

CATALOGO DEEP STONE

FDPS03

14€
FOLDER DEEP STONE




CARATTERISTECHE TECNICHE
Sostanze nocive: Cadmio, Cromo(VI), Nichel, Piombo, Stagno, Selenio, Vanadato.

Normal size (mm): 30x60, 60x60, 60x120, 100x100, 120x120, 120x280	Thickness (mm): 6, 8, 8, 20
Color: Beige/taupe	Surface: natural
	Product Group: B1a-UGL

Technical characteristics	Test method	EN 14681 and ISO 13009 requirements	Actual Average values
Length and width	ISO 10545-2	±0.5% and ± 3.0mm	Compliant
Straightness of sides	ISO 10545-2	Rect.: ±0.30, and ± 3.0mm	Compliant
Rectangularity	ISO 10545-2	±0.5% and ± 3.0mm	Compliant
Flatness	ISO 10545-2	Rect.: ±0.30, and ± 3.0mm	Compliant
Thickness	ISO 10545-2	±0.4% and ± 3.0mm	Compliant
Water absorption	ISO 10545-3	≤ 0.5%	Compliant
Modulus of rupture	ISO 10545-4	≥ 35 N/mm ²	Compliant
Breaking strength (3)	ISO 10545-4	≥ 3300 N	Compliant
Abrasion resistance	ISO 10545-7	≥ 175 mm ³	Compliant
Linear thermal expansion	ISO 10545-6	Declared value	≤ 7.3x10 ⁻⁶ °C ⁻¹
Thermal shock resistance	ISO 10545-8	No alterations	Resistant
Frost resistance	ISO 10545-12	No alterations	Resistant
Chemical resistance	ISO 10545-13	Declared value	LA → HA
Flexural strength	ISO 10545-10	≥ 8 mm	A
Stain resistance	ISO 10545-14	Class 3 min.	3
Slip Resistance	UNI EN 12518	≥ 0.42	2
	DIN 51130	Declared value	R10 - R11 (foot)
	DIN 51077	Declared value	3 - 5 (clean)
	ANSI A327.1	Declared value	> 0.42
	B.C.R.A. (Tap. 01/01)	Declared value	7
	BS 7976	Declared value	7
Stain variation	ISO 10545-15	Not required	3/3
Few reaction	UNI EN 13052-3	Not required	A1, class
Thermal Conductivity	EN 12524	Not required	λ = 1.3 W/m·K
Light and colour fastness	EN 12054	Not required	No variations

LA FABBRICA AVA
DEEP STONE
9



1 PZ WHITE NAT
1 PZ WHITE LAP
1 PZ NATURAL NAT
1 PZ NATURAL LAP

1 PZ NATURAL NAT
1 PZ NATURAL LAP

1 PZ BLUE NAT
1 PZ BLUE LAP

PANNELLI 100x200 SP 14 mm

BOARDS 100x200 THK 14 mm



Sinottico 1

FDPS19 White 60x120 Nat Ret 73 €
FDPS20 White 60x120 Lap Ret 77 €



Sinottico 3

FDPS08 Beige 60x120 Nat Ret 73 €
FDPS07 Beige 60x120 Lap Ret 77 €



Sinottico 4

FDPS11 Blue 60x120 Nat Ret 73 €
FDPS12 Blue 60x120 Lap Ret 77 €



Sinottico 60x120


FDPS15 Natural 60x120 Nat Ret 73 €
FDPS16 Natural 60x120 Lap Ret 77 €




Decori
 FDPS21 White 60x120 Nat Ret **80 €**
 FDPS22 White 60x120 Lap Ret **84 €**




Decori
 FDPS09 Beige 60x120 Nat Ret **83 €**
 FDPS10 Beige 60x120 Lap Ret **88 €**



Decori
 FDPS13 Blue 60x120 Nat Ret **83 €**
 FDPS14 Blue 60x120 Lap Ret **88 €**



Decori
 FDPS17 Natural 60x120 Nat Ret **80 €**
 FDPS18 Natural 60x120 Lap Ret **84 €**



Pannello Posato
 FDPS **€/mq**

ESPOSITORI PER PIASTRELLE SINGOLE

SMALL DISPLAYS

FDPS06

200€

KIT DEEP STONE 60x120

8 lastre 60x120

Tutte le lastre avranno dietro la grafica su retrocartone
risvoltato con stampa applicata lucida
formato 59 cm x117 cm

All panels will have graphics on the back with a folded
backing board and applied glossy print,
size 59 cm x 117 cm.



ES RETRO GRAFICA

White Nat Ret



Natural Nat Ret



Beige Nat Ret



Blue Nat Ret



White Lap Ret



Natural Lap Ret



Beige Lap Ret



Blue Lap Ret





FESL13


390€

TOTEM LASTRE

Totem centrosala singolo contenente 2 lastre 120x280
Il prezzo si intende senza lastre

Single center room totem contains 2 120x280 slabs
The price is without slabs

CARTELLE AGENTI DEEP STONE 60x60




FDPS04

33 €

WHITE 1 PZ 30x60 NAT + 1 PZ 30x60 LAP

BEIGE 1 PZ 30x60 NAT + 1 PZ 30x60 LAP



FDPS05

33 €

NATURAL 1 PZ 30x60 NAT + 1 PZ 30x60 LAP

BLUE 1 PZ 30x60 NAT + 1 PZ 30x60 LAP

DEEP STONE

LAFABBRICA AVA MERCHANDISING 2024





MARMI NUOVI



LA FABBRICA AVAMERCHANDISING 2024



F


€
FOLDER
NUOVI MARMI





CARATTERISTICHE TECNICHE


Dimensioni (mm) DIMENSIONS (mm)		Spessore (mm) C. R.A. 20	
Lunghezza Length		Superficie Surface	
Prestazioni Performance			
Caratteristiche Tecniche			
Resistenza agli urti	ISO 10545-5	EN 12518 per ISO 10545-5	Superiore
Resistenza alla lacerazione	ISO 10545-5	EN 12518 per ISO 10545-5	Superiore
Resistenza alla flessione	ISO 10545-4	EN 12518 per ISO 10545-4	Superiore
Resistenza al gelo	ISO 10545-6	EN 12518 per ISO 10545-6	Superiore
Resistenza all'abrasione	ISO 10545-7	EN 12518 per ISO 10545-7	Superiore
Resistenza all'acidità	ISO 10545-8	EN 12518 per ISO 10545-8	Superiore
Resistenza ai sali	ISO 10545-9	EN 12518 per ISO 10545-9	Superiore
Resistenza al calore	ISO 10545-10	EN 12518 per ISO 10545-10	Superiore
Resistenza al fuoco	ISO 10545-11	EN 12518 per ISO 10545-11	Superiore
Resistenza al gelo	ISO 10545-12	EN 12518 per ISO 10545-12	Superiore
Resistenza al calore	ISO 10545-13	EN 12518 per ISO 10545-13	Superiore
Resistenza al gelo	ISO 10545-14	EN 12518 per ISO 10545-14	Superiore
Resistenza al calore	ISO 10545-15	EN 12518 per ISO 10545-15	Superiore
Resistenza al gelo	ISO 10545-16	EN 12518 per ISO 10545-16	Superiore
Resistenza al calore	ISO 10545-17	EN 12518 per ISO 10545-17	Superiore
Resistenza al gelo	ISO 10545-18	EN 12518 per ISO 10545-18	Superiore
Resistenza al calore	ISO 10545-19	EN 12518 per ISO 10545-19	Superiore
Resistenza al gelo	ISO 10545-20	EN 12518 per ISO 10545-20	Superiore
Resistenza al calore	ISO 10545-21	EN 12518 per ISO 10545-21	Superiore
Resistenza al gelo	ISO 10545-22	EN 12518 per ISO 10545-22	Superiore
Resistenza al calore	ISO 10545-23	EN 12518 per ISO 10545-23	Superiore
Resistenza al gelo	ISO 10545-24	EN 12518 per ISO 10545-24	Superiore
Resistenza al calore	ISO 10545-25	EN 12518 per ISO 10545-25	Superiore
Resistenza al gelo	ISO 10545-26	EN 12518 per ISO 10545-26	Superiore
Resistenza al calore	ISO 10545-27	EN 12518 per ISO 10545-27	Superiore
Resistenza al gelo	ISO 10545-28	EN 12518 per ISO 10545-28	Superiore
Resistenza al calore	ISO 10545-29	EN 12518 per ISO 10545-29	Superiore
Resistenza al gelo	ISO 10545-30	EN 12518 per ISO 10545-30	Superiore



MARMO
AUREA



EXTRAORDINARY TILES



1 PZ NAT 8mm
1 PZ NAT 8mm

1 PZ NAT 8mm
1 PZ LAP 8mm

1 PZ LAP 8mm
1 PZ NAT 8mm

1 PZ LAP 8mm
1 PZ LAP 8mm

PANNELLI 100x200 SP 14 mm


BOARDS 100x200 THK 14 mm



Sinottico Breccia Caparaia
60x120 Nat Ret -Lap Ret €



Sinottico Breccia Sicilia
60x120 Nat Ret -Lap Ret €



Pannello Posato
€/mq



Sinottico Bianco Imperiale
60x120 Lap Ret €



Avorio SEgesta Sinottico
60x120 Nat Ret -Lap Ret €



Sinottico Green Sky
60x120 Lap Ret €



Sinottico Black Gold
60x120 Nat Ret -Lap Ret €


ESPOSITORI PER PIASTRELLE SINGOLE

SMALL DISPLAYS

Bianco Imperiale Lap Ret



Avorio Segesta Nat Ret



Avorio Segesta Lap Ret




Breccia Capraia Nat Ret



Breccia Capraia Lap Ret



Grren Sky Lap Ret



Breccia Sicilia Nat Ret




Breccia Sicilia Lap Ret



Black Gold Nat Ret



Black Gold Lap Ret



ES RETRO GRAFICA

F

€

KIT 60x120

Lastre 60x120

Tutte le lastre avranno dietro la grafica su retrocartone risvoltato con stampa applicata lucida formato 59 cm x117 cm

All panels will have graphics on the back with a folded backing board and applied glossy print, size 59 cm x 117 cm.

MARMI NUOVI

LAFABBRICA AVA MERCHANDISING 2024





FESL13


390€

TOTEM LASTRE

Totem centrosala singolo contenente 2 lastre 120x280
Il prezzo si intende senza lastre

Single center room totem contains 2 120x280 slabs
The price is without slabs

CARTELLE AGENTI 60x60




F

€

BIANCO IMPERIALE 1 PZ 60x60 LAP

AVORIO SEGESTA 1 PZ 30x60 NAT + 1 PZ 30x60 LAP




F

€

GREEN SKY 1 PZ 60x60 LAP

BRECCIA CAPRAIA 1 PZ 30x60 NAT + 1 PZ 30x60 LAP



F

€

BRECCIA SICILIA 1 PZ 30x60 NAT + 1 PZ 30x60 LAP

BLACK GOLD 1 PZ 30x60 NAT + 1 PZ 30x60 LAP

VELARIS

LAFABBRICA AVAMERCHANDISING 2024



PANNELLI 100x200 SP 14 mm


BOARDS 100x200 THK 14 mm



Sinottico
100x100 Nat Ret €




Sinottico
100x100 Nat Ret €



Pannello Posato
€/mq




Sinottico
60x120 Nat Ret €



Sinottico
60x120 Nat Ret €



Sinottico
60x120 Nat Ret €



Sinottico
60x120 Nat Ret €

ESPOSITORI PER PIASTRELLE SINGOLE

SMALL DISPLAYS

F


€

KIT 60x120

8 lastre 60x120


Tutte le lastre avranno dietro la grafica su retrocartone
risvoltato con stampa applicata lucida
formato 59 cm x117 cm

All panels will have graphics on the back with a folded
backing board and applied glossy print,
size 59 cm x 117 cm.



ES RETRO GRAFICA

Bianco Nat Ret



Beige Nat Ret



Grigio Nat Ret




Grafite Nat Ret



R9

Bianco Nat Ret



Beige Nat Ret



Grigio Nat Ret



Grafite Nat Ret



R10



KIT 5 PEZZI 100x100
KIT 5 PIECES 120x120 + TWISTER




FESP02

170€

ESPOSITORE A TIRO 100x100

Espositore scorrevole monofacciale per 6 lastre 100x100

Exhibitor accommodating 6 single-side sliding slabs 100x100



F

€

KIT 5 PEZZI
100x100



Bianco 100x100 Nat. Ret.



Beige 100x100 Nat. Ret.



Grigio 100x100 Nat. Ret.



Grafite 100x100 Nat. Ret.



Grigio 100x100 Nat. Ret. R10

PER ORDINARE IL MOBILE OUTDOOR E' NECESSARIO INSERIRE 2 CODICI COME SEGUE :

inserire nell' ordine:

1 - il codice dell' espositore vuoto, completo di banner generico outdoor



2 - il codice di 1 pezzo Velaris 100x100 h20



Bianco 100x100 Nat. Ret.



Beige 100x100 Nat. Ret.



Grigio 100x100 Nat. Ret.



Grafite 100x100 Nat. Ret.

CARTELLE AGENTI 60x60




F

€

BIANCO 1 PZ 30x60 NAT R9 + 1 PZ 30x60 R10

BEIGE 1 PZ 30x60 NAT R9 + 1 PZ 30x60 R10



F

€

GRIGIO 1 PZ 30x60 NAT R9 + 1 PZ 30x60 R10

GRAFITE 1 PZ 30x60 NAT R9 + 1 PZ 30x60 R10




GROOVES

LA FABBRICA AVA MERCHANDISING 2024



CATALOGO
CATALOG



FGRV00


1,2 €

CATALOGO GROOVES

FGRV03

15 €
FOLDER GROOVES





GROOVES - Technical specifications
ISO 13006 - EN 14411 - ISO 10545 Standards

Nominal sizes (mm) 5,26x25,75x15		Thickness (mm) 9 mm	
Style: Natural		Surface: matt, glossy	
Product Group: R10 (single channel)			
Technical characteristics	Test method	EN 14411 and ISO 13006 requirements	Substr Average values
Length accuracy	ISO 10545-2	±0.5% and ± 0.5mm	Compliant
Width accuracy	ISO 10545-2	±0.5% and ± 0.5mm	Compliant
Rectification of sides	ISO 10545-2	±0.5% and ± 2.0mm	Compliant
Flatness	ISO 10545-2	±0.5% and ± 0.5mm	Compliant
Thickness	ISO 10545-2	±0.5% and ± 0.5mm	Compliant
Water absorption	ISO 10545-3	≤ 0.5%	Compliant
Modulus of rupture	ISO 10545-4	≥ 15 N/mm ²	Compliant
Bending strength (D)	ISO 10545-4	≥ 200 N	Compliant
Thermal shock resistance	ISO 10545-9	No alterations	Resistant
Frost resistance	ISO 10545-12	No alterations	Resistant
Chemical resistance	ISO 10545-13	Declared value	CA - 10A
Fluorescent (check)	ISO 10545-13	0 imp.	Compliant
Slip resistance	ISO 10545-14	Class 3 min.	Compliant
Wear resistance	UNI EN 12051	5 Min.	Compliant
Color variation	EN 12051	Not required	2
Fire reaction	UNI EN 13501-1	-	AC1 class
Thermal Conductivity	EN 12054	Not required	κ = 1,3 W/m·K
Light and color fastness	EN 12054	Not required	No variations

LA FABBRICA AVA
EXTRAORDINARY TILES



SAGE

WHITE

BONE

GREY

FGRV004


76 €
SET DA BANCO
GROOVES




SET DA BANCO GROOVES

- 1 base in mdf nobilitato bianco cm .33 x25 h4 a 4 incavi passanti da lato a lato
- 1 schiena in forex cm 43 x 33 x 0,5 cm con stampa in quadricromia solo fronte .
- 4 pannelli in forex bianco cm 33 x 23 x 0,5 cm con stampa fronte a 1 colore per 4 soggetti diversi e stampa in quadricromia sul retro a 4 soggetti diversi.
- 4 pannelli in forex bianco cm 33 x 8 x 0,5 cm con stampa fronte a 1 colore per 4 soggetti diversi e stampa in quadricromia sul retro a 4 soggetti diversi.


VISTA PIANA DEL SET DA BANCO



VISTA FRONTALE DEL SET A BANCO




ES: POSA FRONTALE SU FOREX



ES: POSSIBILE GRAFICA SUL RETRO





Sinottico 1
FGRV05

80€

KIST

LAFABBRICAAVAMERCHANDISING2024





F

€
FOLDER KIST

formato 31x48

Technical specifications
PER CERAMICA PORCELLANATA 30x48x12 (Standard)

Technical Characteristics	Technical Data	EN 12002 and EN 12004 Requirements	Actual Characteristics
Length and width	300 (3048x12)	1200x600 ± 3 mm	Compliant
Thickness	12 (3048x12)	10/12/15 ± 0.3 mm	Compliant
Weight	4.8 (3048x12)	2.0/2.5/3.0/3.5 kg/m ²	Compliant
Water absorption	0.1 (3048x12)	< 0.5%	Compliant
Modulus of rupture	35 (3048x12)	≥ 35 N/mm ²	Compliant
Flexural strength (M ₁₀)	35 (3048x12)	≥ 35 N/mm ²	Compliant
Impact strength (I ₅₀)	10 (3048x12)	≥ 10 J/m ²	Compliant
Chemical resistance	300 (3048x12)	Resistant to acids, alkalis, and oils	Compliant
Wear resistance	300 (3048x12)	Resistant to wear	Compliant
Slip resistance	300 (3048x12)	Class 1-4	Compliant
Static load	100 (3048x12)	≥ 100 N/mm ²	Compliant
Fire resistance	300 (3048x12)	Non-combustible	Compliant
Chemical resistance	300 (3048x12)	Resistant to acids, alkalis, and oils	Compliant
Light and color fastness	300 (3048x12)	Resistant to light and color	Compliant

LA FABBRICA AVA
ANTHROPOMETRY FLOOR

Kist

The color palette consists of 15 vertical swatches arranged in three groups of five. The first group shows two shades of green. The second group shows shades of blue and grey. The third group shows shades of brown and tan. A small inset image in the top left shows a bathroom sink and a herringbone tile pattern.

F

€

FOLDER KIST LUX

formato 31x48



Technical specifications

ISO 9001:2015 / ISO 14001:2015

Technical characteristics	Technical	ISO 9001 and ISO 14001	Technical specifications
Length and width	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Weight per square meter	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Porosity	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Resistance	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Water absorption	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Modulus of rupture	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Flexural strength (MPa)	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Chemical resistance	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Thermal expansion	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Thermal conductivity	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002
Light and color fastness	300x600x12	ISO 9001:2015 / ISO 14001:2015	EN 12002

ISO 9001:2015 / ISO 14001:2015

ISO 9001:2015 / ISO 14001:2015


ISO 9001:2015 / ISO 14001:2015


ISO 9001:2015 / ISO 14001:2015



F Kist

31x48





SET DA BANCO
DISPLAY CUT SAMPLE CASE



€
SET DA BANCO
KIST

SET COMPOSITION

KIST LUX

6 pannelli formato 47 x29 cm

FUGATO 2mm
posato dritto

KIST

6 pannelli formato 55 x29 cm

FUGATO 5 mm
posato sfalsata



CHARCOAL GLOSSY



LIGHT GREY GLOSSY



CHARCOAL NAT



LIGHT GREY NAT



JADE GLOSSY



BEIGE GLOSSY



JADE NAT



BEIGE NAT



DARK BLUE GLOSSY



IVORY GLOSSY



DARK BLUE NAT



IVORY NAT



PANNELLI 100x200 SP 14 mm
BOARDS 100x200 THK 14 mm



Sinottico Kist

€



Sinottico Kist Lux

€



v

€ prezzo comprensivo anche del posato
the price includes laid tiles

VALIGIA AGENTI KIST 30x60
4 VASSOI

CHARCOAL NAT



LIGHT GREY NAT



JADE NAT




BEIGE NAT



IVORY NAT



DARK BLUE NAT





V

€ prezzo comprensivo anche del posato
the price includes laid tiles

**VALIGIA AGENTI KIST LUX 30x60
4 VASSOI**

CHARCOAL GLOSSY 




LIGHT GREY GLOSSY

BEIGE GLOSSY 



IVORY GLOSSY

JADE GLOSSY 



DARK BLUE GLOSSY 



AVASTONE

12 & 20 MM

Noble Stone

Taj Mahal

Hurban

Honey Wood

AVASTONE

spring/summer 2024



AVASTONE

F99100

2 €

CATALOG

AVASTONE 2024



taj mahal



Natural surface



HONEYWOO ROVERE



NOBLE STONE
GREY



NOBLE STONE
BEIGE



NOBLE STONE
TAUPE



TAJ MAHAL BIANCO



**HONEYWOOD
ROVERE**

12 mm
Naturale



**TAJ MAHAL
BIANCO**

12 mm
Naturale



**NOBLE STONE
GREY**

12 mm
Naturale



**NOBLE STONE
BEIGE**

12 mm
Naturale



**NOBLE STONE
TAUPE**

12 mm
Naturale



materic
touch

Backsplash & top
STATUARIO REALE 163x324_64"x127" Lap

Counter top
ROVERE 163x324_64"x127" Nat

Floor
LE MALTE BEIGE 120x120_48"x48" Nat Ret



rovere



FAVA07

110€

**KIT 3 SCATOLE AVASTONE
PORTA TOZZETTI**

Scatola contenente tozzetti
Max 10 pz 8x16 sp 12mm

Box containing tile cuts
Max 10 pieces 8x16 sp 12mm

COMPOSIZIONE

WHITE

ARTICOLI

SPESSORE 12MM

ABSOLUTE WHITE NAT
ABSOLUTE WHITE LAP
CALACATTA ORO NAT
CALACATTA ORO LAP
MACCHIA ANTICA NAT
MACCHIA ANTICA LAP
STATUARIO REALE NAT
STATUARIO REALE LAP

BLACK

ARTICOLI

SPESSORE 12MM

ABSOLUTE BLACK NAT
ABSOLUTE BLACK LAP
ARAGON NAT
ARAGON LAP
BRECCIA ARGENTUM NAT
BRECCIA ARGENTUM LAP
EOS NAT
EOS LAP
SAHARA NOIR NAT
SAHARA NOIR LAP

COLOR

ARTICOLI

SPESSORE 12MM

MAGELLANO LAP
METAL CORTEN NAT
SKYLINE GHIACCIO NAT
HURBAN GREY
HURBAN BEIGE
HURBAN WHITE



F

€

**SCATOLA AVASTONE
PORTA TOZZETTI**

Scatola contenente tozzetti
Max 10 pz 8x16 sp 12mm

Box containing tile cuts
Max 10 pieces 8x16 sp 12mm

COMPOSIZIONE

MATERICH TOUCH

ARTICOLI

SPESSORE 12MM

NOBLE STONE GREY NAT
NOBLE STONE BEIGE NAT
NOBLE STONE TAUPE NAT
TAJ MAHAL NAT
TAJ MAHAL LAP
HONEY WOOD ROVERE



FMAR04

700€


TOTEM AVASTONE

Totem centrosala contenente 24 tozzetti 20x20

FMAR04

SPESSORE 12MM

ABSOLUTE BLACK NAT e LAP
ABSOLUTE WHITE NAT e LAP
ARAGON NAT LAP
BRECCIA ARGENTUM NAT e LAP
CALACATTA NAT LAP
CALACATTA ORO NAT LAP
EOS NAT LAP
MACCHIA ANTICA NAT LAP
METAL CORTEN NAT
SAHARA NOIR NAT LAP
SKYLINE GHIACCIO NAT
STATUARIO REALE NAT LAP
MAGELLANO LAP (FMAGE)



Espositore imballato (vuoto)
Packaged display (empty)

A 52 cm

B 40 cm

C 115 cm

Peso/Weight

KIT DI AGGIORNAMENTO PER TOTEM FMAR04

FMAR09

11€

24 tozzetti 20x20

Per integrare la serie Hurban nei colori :
White, Beige, Grey
Ordinare **FMAR09** kit di aggiornamento totem
AVASTONE

To integrate the Hurban series in the colors white,
beige, and grey, order the **FMAR09** AVASTONE
totem upgrade kit.

F

€

6 tozzetti 20x20

Per integrare la serie:
NOBLE STONE GREY NAT
NOBLE STONE BEIGE NAT
NOBLE STONE TAUPE NAT
TAJ MAHAL NAT
TAJ MAHAL LAP
HONEY WOOD ROVERE



FOLLOW US

ITALCER S.p.A. SB | P. IVA 00142060359

Amministrazione e Sede Legale
Accounting and Legal Head Office

Via Emilia Ovest 53/A - 42048 Rubiera (RE) - Italy
Tel. +39 0522 625111
Fax +39 0522 625160

Uffici Commerciali e Showroom
Sales Department and Showroom

Via Emilia Ponente 2070 - 48014 Castel Bolognese (RA) Italy
Tel. +39 0546 - 659911 - Fax +39 0546 - 656223
info@lafabbrica.it - www.lafabbrica.it